Sodium Alkyl *a*-Sulfopelargonates, $C_7H_{15}CH(SO_8Na)CO_2R$. Wetting and Related Properties¹

A. J. STIRTON, R. G. BISTLINE, JR., J. K. WEIL, and WALDO C. AULT, Eastern Regional Research Laboratory,2 Philadelphia 18, Pennsylvania

A series of sodium alkyl α-sulfopelargonates prepared from sodium a-sulfopelargonic acid and alcohols of from 2 to 12 carbon atoms were examined for surface active properties. Esters with the hydrophilic portion in the middle of the molecule, as in sodium hexyl, heptyl, octyl, capryl (or 2-octyl) and 2-ethylhexyl a-sulfopelargonate were very efficient wetting agents with good foaming properties and a c.m.c. of from 2 to 7 millimoles per liter. The presence of the α-sulfo group inhibits hydrolysis of the ester linkage, apparently by steric hindrance. Sodium capryl α-sulfopelargonate, an ester of a secondary alcohol, was particularly stable to acid and alkaline hydrolysis. The esters are easily soluble in water, organic solvents and mineral oil.

NIONIC SURFACE ACTIVE AGENTS may be expected to be wetting agents rather than detergents when the hydrophilic group is at or near the middle of a hydrophobic chain. The surface active agents are then considered to be oriented at the airwater interface as folded molecules with the hydrophilic group directed downward into the aqueous phase; a structure which in a series of compounds of the same chain length may lead to lower surface and interfacial tension, smaller micelles and higher crit-eal micelle concentration. Sodium heptadecyl 9-sulfate (5) and the branched chain secondary alkyl sulfates (13) and sodium alkyl sulfosuccinates (1), which are important commercial wetting agents, have this relation between the hydrophilic and hydrophobic portions of the molecule.

In a previous report (12) it has been shown that sodium a-sulfopelargonic acid displays little evidence of surface active properties but becomes an efficient, wetting agent upon esterification with n-octanol to form sodium octyl a-sulfopelargonate,

 $\mathrm{CH_3}(\mathrm{CH_2})_6\mathrm{CH}(\mathrm{SO_3Na})\mathrm{CO_2}(\mathrm{CH_2})_7\mathrm{CH_3},$

a compound with the hydrophilic portion at about the middle of the molecule and with hydrophobic alkyl groups of about equal chain length.

The present report concerns the preparation of a series of sodium alkyl a-sulfopelargonates and an investigation of properties, particularly in terms of the structure associated with best wetting characteristics. Further study of these and related esters is projected.

Synthesis

The individual normal primary, secondary, and branched chain primary alcohols of Table I were of standard laboratory quality, rectified by distillation as required. The "oxo" decyl alcohol (Enjay Chemical Co.) is a product from the oxo process, a mixture of 10 carbon atom primary alcohols, predominantly trimethylheptanols. The fluoro alcohol (E. I. du Pont de Nemours & Co., Inc.) is a technical product from the free radical telomerization of tetrafluoroethylene with methanol; the subscript 3 is an average number.

The esters of Table I were conveniently prepared by the same general method, esterification of sodium a-sulfopelargonic acid with a 10% excess of the particular alcohol, in the presence of sulfuric acid as the catalyst, and toluene to remove water of esterification, azeotropically. The following example illustrates the method. Analyses for Na and S agreed with the calculated values, with an average deviation of

Sodium Nonyl a-Sulfopelargonate. A stirred mixture of 0.1 mole of sodium a-sulfopelargonic acid, 0.11 mole of n-nonanol, 200 ml. of toluene and 2 ml. of concentrated sulfuric acid was refluxed 4 hrs. with azeotropic removal of water of esterification. The reaction mixture was neutralized with aqueous sodium carbonate and evaporated with recovery of toluene and excess nonanol. Ethanol was added to the residue, insoluble inorganic salts were removed, and the

TABLE I Properties of Sodium Alkyl a-Sulfopelargonates C7H15CH(SO3Na)CO2R

			• • • • • • • • • • • • • • • • • • • •	`					
Alcohol	tension,	l interfacial 0.2%, 25° s/cm.	Critical micelle concentra-	Wetting time b 25°,0.1%, seconds		Ca++ stability c	Foam height ^d 60°, 0.25%, mm.		Detergency e 60°, 0.25% distilled
ROH	S.T.	1.T.	tion a millimoles/l.	Distilled water	300 ppm	ppm	Distilled water	300 ppm	water, △R
C ₂ H ₅ OH. C ₆ H ₁₁ OH. C ₆ H ₁₈ OH. C ₇ H ₁₈ OH. C ₈ H ₁₈ OHOHCH ₈ . C ₄ H ₁₈ OHOHCH ₈ . C ₄ H ₁₉ OH. C ₅ H ₁₈ OH. C ₅ H ₁₈ OH. C ₅ OH ₂ OH. C ₅ OH ₂ OH. C ₅ OH ₂ OH. C ₇ ON' decyl. C ₁ OH ₂ OHOH.	25.7 26.4 25.9 25.4 25.0 23.6	39.8 18.9 7.1 5.7 4.5 4.8 3.9 3.8 3.0 1.7 1.0 5.6	98.0 16.0 7.0 4.5 2.1 3.6 1.9 1.2 0.5 0.5 0.1 2.4	>300.0 12.1 2.2 0.0 1.3 1.3 0.0 3.8 6.0 1.6 103.0 3.6	>300.0 5.3 1.4 4.7 13.2 4.5 4.5 33.1 105.0 34.8 >300.0 24.8	>1800 310 290 440 500 520 530 610 310 750 350	4 80 210 210 230 220 240 230 240 250 210 265	0 140 240 240 220 230 175 80 30 20 30	10 15 23 26 31 25 17 31 21 19 33 20
Sodium methyl a-sulfopalmitate	39.0	9.7	0.4	25.0	15.5	>1800	205	225	31

Pinacyaole chloride method (2).

c Modified Hart method (13).

¹ Presented at the annual meeting, American Oil Chemists' Society, St. Louis, Missouri, May 1-3, 1961.
2 Eastern Utilization Research and Development Division, Agricultural Research Service, U. S. Department of Agriculture.

^{**} Launder-Ometer, 1 swatch of G.D.C. No. 263 (4) standard soiled cotton/100 ml/jar, 30 steel balls, 30 min., 2 replicates. $\triangle R = increase$ in reflectance after washing. $\triangle R$ for sodium dodecyl sulfate = 28.

product was crystallized from 50% ethanol at-20°C. to give sodium nonyl a-sulfopelargonate as a white powder in a yield of 70%. Analysis: calculated for $C_{18}H_{35}NaO_5S$, 5.95% Na, 8.30% S; found 5.82% Na, 8.24% S.

Properties

In Table I comparison of the properties of sodium octyl, capryl, and 2-ethylhexyl a-sulfopelargonate with sodium methyl a-sulfopalmitate, all containing 17 carbon atoms, shows that the position of the hydrophilic portion at about the middle of the molecule results in lower surface and interfacial tension, higher c.m.c., and excellent wetting properties, but a somewhat lower calcium stability.

Surface and Interfacial Tension. In the pelargonate series surface tension measured at 0.2% concentration with the duNoüy tensiometer falls rapidly from the ethyl to the amyl to the hexyl ester and thereafter remains substantially the same except for the low value shown by the dodecafluoroheptyl ester.

The interfacial tension falls consistently with increase in molecular weight except for the values shown by the esters of secondary and branched chain alcohols and the dodecafluoroheptyl ester.

Critical Micelle Concentration. The c.m.c. was measured by the pinacyanole dye titration method (2), and is quite high for those esters which are not very surface active. Sodium ethyl a-sulfopelargonate in particular is hardly a surface active agent, has high surface and interfacial tension, high c.m.c., and practically no wetting, foaming, or detergent properties. The c.m.c. values for the surface active agents of the normal primary alcohols from amyl to dodecyl alcohol demonstrate a regularity and follow the relation $c.m.c. = \frac{(c.m.c.)'}{2N} = \frac{16}{2N}$ (6,7,8) so that the found 2N value agrees with the predicted. In the following list the predicted value is obtained by dividing 16 (the value for sodium amyl α-sulfopelargonate) by 2^N where N is the increase in the number of carbon atoms in going from the amyl ester to higher homologs:

Sodium n-alkyl a-sulfopelargonate	Critical micelle concentration, millimoles/l.		
	Found	Predicted	
Amyl	16.0		
Iexyl Ieptyl	$\frac{7.0}{4.5}$	8.0 4.0	
OctylVonyl	$\frac{2.1}{1.2}$	2.0	
DecylDodecyl	0.5 0.1	0.5 0.125	

Wetting Time. Wetting properties of 0.1% solutions in distilled water and hard water of 300 p.p.m. were measured by the Draves test (3) using a 5-g. cotton skein and 3-g. hook, at 25°C. All of the pelargonate esters, except the ethyl and dodecyl, have wetting times of 6 sec. or less, either in distilled water or hard water.

The amyl ester has better wetting properties in hard water. The most efficient wetting agents are about equally effective in hard or soft water. The higher molecular weight esters (the nonyl, decyl, "oxo" 'decyl, and dodecafluoroheptyl esters) are more efficient in soft than in hard water.

The four most efficient wetting agents in both hard and soft water are the hexyl, heptyl, capryl, and 2-ethylhexyl esters. Branching of the alcohol portion, either by use of a branched chain primary alcohol or a normal secondary alcohol, improves solubility and

wetting properties. This is evident with the capryl, 2-ethylhexyl, and "oxo"decyl esters.

Wetting time as a function of concentration is shown in Table II and Fig. 1. From this, it is apparent that in the sodium n-alkyl α -sulfopelargonate series the heptyl ester,

with an equal number of carbon atoms in each alkyl group, is the most efficient wetting agent.

TABLE II
Wetting Time and Concentration

Wetting time, seconds, Draves test, at various % concentrations in distilled water, 25°						
0.025	0.050	0.075	0.100	0.150		
80.2 10.2 13.2 9.6 10.5	12.3 2.8 5.0 3.7 2.7	30.5 5.2 1.7 2.6 2.2 1.5	12.1 2.2 0.0 1.3 1.3 0.0	4.4 0.0 0.0 2.3		
	0.025 80.2 10.2 13.2 9.6	ous % concentration of the con	ous % concentrations in d 0.025 0.050 0.075 30.5 80.2 12.3 5.2 10.2 2.8 1.7 13.2 5.0 2.6 9.6 3.7 2.2 10.5 2.7 1.5 25.9 8.8 5.5	ous % concentrations in distilled wa 0.025 0.050 0.075 0.100 30.5 12.1 80.2 12.3 5.2 2.2 10.2 2.8 1.7 0.0 13.2 5.0 2.6 1.8 9.6 3.7 2.2 1.8 10.5 2.7 1.5 0.0 25.9 8.8 5.5 3.8		

^a Reference (3), 5-g. skein, 3-g. hook. ^b CH₃CHOHO₆H₁₃.

Calaina Chalilia E.

Calcium Stability, Foam Height, and Detergency. The calcium stability of the pelargonate esters, excluding the ethyl and dodecyl, ranges from about 300–600 p.p.m. indicating the esters are sensitive to hard water in some degree.

The esters all have good foaming properties in soft water, excepting the ethyl and amyl esters. The hexyl, heptyl, octyl, and capryl esters also have good foaming properties in hard water. The foam is stable and foam height remains about the same for 5 min. or more.

Surface active agents which are excellent wetting agents are not generally expected to have excep-




Fig. 1. Wetting properties of sodium n-alkyl α -sulfopelargonates.

TABLE III Rate Constants, Acid and Alkaline Hydrolysis

	N/3 H ₂ S	8O4, 100°	N/10 NaOH, 100°		
Surface active agent	kı ^a min1	Relative rate	k ₂ b l./mole/ min.	Relative rate	
Sodium methyl a-sulfo- palmitate CO ₂ CH ₃ C ₁₄ H ₂₀ CH	0.0047	30	0.14	60	
Sodium hexyl a-sulfo- pelargonate CO ₂ C ₆ H ₁₃ C ₇ H ₁₅ CH	0.0020	13	0.16	18	
Sodium capryl a-sulfo- pelargonate CO ₂ CHC ₆ H ₁₈ C ₇ H ₁₅ CH CH ₃	0.0010	6	0.0092	1	
Sodium di (2-ethylhexyl) sulfosuccinate CH ₂ CO ₂ CH ₂ CH (C ₂ H ₅) C ₄ H ₉ (β) CHCO ₂ CH ₂ CH (C ₂ H ₅) C ₄ H ₉ (α) SO ₃ Na	0.0156	100 21	0.9 approx.	100	

^a k₁ (first order) = $1/t \ln \frac{a}{a-r}$

tional detergent properties. The pelargonate esters have moderately good detergency in soft water but are poor detergents in hard water in the absence of builders.

Stability to Hydrolysis. The sodium alkyl a-sulfopalmitates and stearates (10), and disodium 2-sulfoethyl a-sulfopalmitate (11) have been shown to resist hydrolysis, probably because the adjacent sulfo group protects the carboxylate linkage through steric hindrance. Esters of secondary alcohols are particularly stable to both acid and alkaline hydrolysis. The pelargonates of Table I are likewise stable to hydrolysis, as shown in Tables III and IV and Fig. 2.

Experiments to measure the rate constant for a first order acid catalyzed hydrolysis were carried out by heating 0.01 equivalent of the ester in 100 ml. of N/3 H₂SO₄ at 100 °C., withdrawing 10-ml. aliquots for titration at selected intervals. Under these conditions, sodium di (2-ethylhexyl) sulfosuccinate appears to hydrolyze stepwise, first at the linkage unprotected by the sulfo group $(\beta, k_1 \ 0.0156)$ and then less rapidly at the ester linkage adjacent to the sulfo group (a, k1 0.0033). The change from an initial rapid rate to a slower rate with a slope comparable to that for sodium hexyl a-sulfopelargonate is apparent in Fig. 2.

The rate constants for the second order alkaline hydrolysis were obtained in a similar manner, using




Fig. 2. Acid catalyzed hydrolysis of wetting agents.

an equivalent amount of 0.1 N NaOH. The value for sodium di (2-ethylhexyl) sulfosuccinate is an approximation at the midpoint; alkaline hydrolysis at 100°C. was too rapid to determine the rate for the first step in hydrolysis. Relative rates of hydrolysis and values for k_1 and k_2 are shown in Table III. Sodium capryl a-sulfopelargonate, an ester of a secondary school, is quite resistant both to acid and alkaline hydrolysis.

Differences in the stability of esters are further shown in Table IV. Sodium methyl a-sulfopalmitate has moderate wetting properties which are not destroyed by boiling in 5% H₂SO₄ but are destroyed by boiling in 1% NaOH. Sodium heptyl a-sulfopelargonate has excellent wetting properties in neutral or hot acid solution, but wetting properties are likewise destroyed through hydrolysis in hot alkaline solution. The wetting properties of the capryl ester persist in hot acid and alkaline solution.

Solubility. The sodium alkyl a-sulfopelargonates are easily soluble in water, and also surprisingly soluble in organic solvents and mineral oil. At 25°C.

TABLE IV Stability to Hydrolysis, Wetting Properties in Acid and Alkali

	, 02202, 020, 110							
	Wetting time, seconds, Draves test, a 0.1% concentration, 25°							
Surface active agent	Distilled water	5% H ₂ SO ₄	After boiling in 5% H ₂ SO ₄		1%	After boiling in 1% NaOH		
2000			for ½ hr.	for 1 hr.	NaOH	for ½ hr.	for 1 hr.	
Sodium methyl a-sulfopalmitate	1.3	28.2 3.5 3.0	36.8 5.8 4.1	36.5 6.6 4.5	36.8 4.4 3.4	>600.0 8.0 >600.0	21.2	

a Reference (3), 5-g. skein, 3-g. hook. b CH₃CHOHC₆H₁₃.

^b k₂ (second order) = $1/t \frac{x}{a(a-x)}$

the amyl, hexyl, and 2-ethylhexyl esters are soluble to the extent of 10% or more in absolute ethanol, chloroform, ether, and petroleum ether, and soluble to the extent of about 1% in mineral oil.

Acknowledgment

Microanalyses were performed by Robert E. Maydole and Oksana Panasiuk.

REFERENCES

- 1. Caryl, C. R., and Ericks, W. P., Ind. Eng. Chem., 31, 44-47 (1939). 2. Corrin, M. L., Klevens, H. B., and Harkins, W. D., J. Chem. Phys., 14, 480-486 (1946).

- 3. Draves, C. Z., Am. Dyestuff Reptr., 28, 425-428 (1939). See also A.A.T.C.C. Tech. Manual and Yearbook, 1960, 161-163; Test Method 17-52.

 4. Draves, C. Z., and Sherburne, O. L., Am. Dyestuff Reptr., 39, 771-772 (1950).

 5. Dreger, E. E., Keim, G. I., Miles, G. D., Shedlovsky, L., and Ross, J., Ind. Eng. Chem., 36, 610-617 (1944).

 6. Herzfeld, S. H., J. Phys. Chem., 56, 953-959 (1952).

 7. Klevens, H. B., J. Phys. Cholid Chem., 52, 130-148 (1948).

 8. Klevens, H. B., J. Am. Oil Chemists' Soc., 30, 74-80 (1953).

 9. Ross, J., and Miles, G. D., Oil and Soap, 18, 99-102 (1941); A.S.T.M. Method D-1173-53.

 10. Stirton, A. J., Weil, J. K., and Bistline, R. G., Jr., J. Am. Oil Chemists' Soc., 31, 13-16 (1954).

 11. Weil, J. K., Bistline, R. G., Jr., and Stirton, A. J., J. Am. Oil Chemists' Soc., 32, 370-372 (1955).

 12. Weil, J. K., Stirton, A. J., Bistline, R. G., Jr., and Ault, W. C., J. Am. Oil Chemists' Soc., 37, 679-682 (1960).

 13. Wilkes, B. G., and Wickert, J. N., Ind. Eng. Chem., 29, 1234-1239 (1937).